

Interactive
Comment

Interactive comment on “The periglacial engine of mountain erosion – Part 2: Modelling large-scale landscape evolution” by D. L. Egholm et al.

CB Phillips

colinbphillips@gmail.com

Received and published: 13 June 2015

The manuscript by Egholm et al. and the companion paper by Andersen et al. present an interesting and compelling case for the role of periglacial processes in creating and maintaining low relief at high elevations. This comment is intended to be very brief and pertains to the introduction and some of the broader conclusions, the editing of which would not (in my opinion) lessen the impact of this study.

There has been a decent and growing body of work that indicates that global cooling in the late Cenozoic may not have caused greatly accelerated erosion rates (Schumer and Jerolmack, 2009; Schumer et al., 2011; Willenbring and von Blanckenburg, 2010).

Perhaps the mechanism of enhanced periglacial processes can explain some of the

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



global nature of increased erosion posed by Zhang et al. (2001) and Molnar (2004), but these studies need to be considered in light of Sadler (1981) and subsequent papers. The given references for accelerated erosion due to global cooling do not address the entirely general problem of bias in linear rates of erosion and deposition and these references have not demonstrated that their rates of increased erosion or deposition are not biased (see Gardner et al., 1987 for the generality of the problem; Finnegan et al., 2014; or Sadler and Jerolmack, 2014 for a broad overview and potential solution to the problem).

It is not my intention to add additional length to a well written and illustrated manuscript, but the authors should consider the broader context they give for their work in light of the ongoing debate on enhanced erosion rates from climatic variability and global cooling. I look forward to final version in ESurf and I thank the authors for considering this comment.

Full references cited above for papers not already cited in the manuscript.

Finnegan, N. J., Schumer, R. & Finnegan, S. 2014 A signature of transience in bedrock river incision rates over timescales of 104–107 years. *Nature* 505, 391–394.

Gardner, T. W., Jorgensen, D. W., Shuman, C. & Lemieux, C. R. 1987. Geomorphic and tectonic process rates: effects of measured time interval. *Geology*, 15, 259–261.

Sadler, P. M. 1981. Sediment accumulation rates and the completeness of stratigraphic sections. *Journal of Geology*, 89, 569–584.

Sadler, P. M., & Jerolmack, D. 2014. Scaling laws for aggradation, denudation and progradatin rates: the case for time-scale invariance at sediment sources and sinks. From: Smith, D. G., Bailey, R. J., Burgess, P.M. & Fraser, A. J. (eds) *Strata and Time: Probing the Gaps in Our Understanding*. Geological Society, London, Special Publications, 404, <http://dx.doi.org/10.1144/SP404.7>

Schumer, R.&Jerolmack, D. J. 2009. Real and apparent changes in sediment

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

deposition rates through time. *Journal of Geophysical Research*, 114, F00A06, <http://dx.doi.org/10.1029/2009JF001266>

Schumer, R., Jerolmack, D. & McElroy, B. 2011. The stratigraphic filter and bias in measurement of geologic rates. *Geophysical Research Letters*, 38, L11405, <http://dx.doi.org/10.1029/2011GL047118>

Willenbring, J. K. & von Blanckenburg, F. 2010. Long-term stability of global erosion rates and weathering during late-Cenozoic cooling. *Nature*, 465, 211–214, <http://dx.doi.org/10.1038/nature09044>

Interactive comment on *Earth Surf. Dynam. Discuss.*, 3, 327, 2015.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper